

Page 1 of 1

All amounts are calculated in domestic currency.

All Item ID/GL/WOs	All Rec. Employees	All Currencies
1	1	1
2	2	2
3	3	3
4	4	4
5	5	5
6	6	6
7	7	7
8	8	8
9	9	9
10	10	10
11	11	11
12	12	12
13	13	13
14	14	14
15	15	15
16	16	16
17	17	17
18	18	18
19	19	19
20	20	20
21	21	21
22	22	22
23	23	23
24	24	24
25	25	25
26	26	26
27	27	27
28	28	28
29	29	29
30	30	30
31	31	31
32	32	32
33	33	33
34	34	34
35	35	35
36	36	36
37	37	37
38	38	38
39	39	39
40	40	40
41	41	41
42	42	42
43	43	43
44	44	44
45	45	45
46	46	46
47	47	47
48	48	48
49	49	49
50	50	50
51	51	51
52	52	52
53	53	53
54	54	54
55	55	55
56	56	56
57	57	57
58	58	58
59	59	59
60	60	60
61	61	61
62	62	62
63	63	63
64	64	64
65	65	65
66	66	66
67	67	67
68	68	68
69	69	69
70	70	70
71	71	71
72	72	72
73	73	73
74	74	74
75	75	75
76	76	76
77	77	77
78	78	78
79	79	79
80	80	80
81	81	81
82	82	82
83	83	83
84	84	84
85	85	85
86	86	86
87	87	87
88	88	88
89	89	89
90	90	90
91	91	91
92	92	92
93	93	93
94	94	94
95	95	95
96	96	96
97	97	97
98	98	98
99	99	99
100	100	100

Purchase Order ID/ Curr Type	Line Nbr/ Insp Req	Project ID	Reference/ Description/ Cert Std	PO U/M / Stock U/M	Required Date	Recv Date/ Recv Emp	Recv Qty (PO U/M)	Cost Per Unit/ Recv Value	Inspected Qty/ Rejected Qty (PO U/M)	MRB Qty/ MRB Reject Qty	Book Amt
VendorID\Vendor Name VC-COP001 Thyssenkrupp Materials CA Ltd											
P036008	2		M2024T3S.032 sf		5/4/2017	5/3/2017	96.0000	\$2.32	0.0000	0	\$222.31
CAD	No		2024-T3 .032 sheet m137435	sf	96.0000	PLOU01		\$222.31	0.0000	0	
	7		M7075T6B0.375X8.0 f	f	5/4/2017	5/3/2017	12.0000	\$22.11	0.0000	0	\$265.35
	No		7075-T6 Plate 0.375" f X 8.000", QQ-A 250/12 m137435	f	12.0000	PLOU01		\$265.35	0.0000	0	
Total Received Quantity:											108.0000
Total Qty to Inspect (PO U/M):											0.0000
Total Reject Quantity:											0.0000
Total Receipt Value:											\$487.66
Total Balance Due Quantity:											0.0000

B I L L O F L A D I N G

No: PEC 43009

Ship From:
 THYSSENKRUPP MATERIALS NA
 2821 LANGSTAFF ROAD
 CONCORD, ONTARIO L4K 5C6
 Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 01May17 at 11:03 From PFW
 Probill
 Via VIM DELIVERY
 FOB CONCORD
 Frt PREPAID 10,226 LBS
 Route 0- 0 Manifest
 Vhcle Trailer
 Slp STAN IVERS (905-532-1350)
 Sold To: (20115)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7

Ship To: (1)
 DART AEROSPACE
 1270 ABERDEEN ST
 HAWKESBURY, ON K6A 1K7
 Tel: 613-632-9577 Fax: 613-632-1053

B I L L O F L A D I N G

1) Our Order PEC- 41399- 1 Your PO # 36008

ALUMINUM SHEET 2024 -T3

.0320 Nom X 48.0000" X 144.0000"

Heat Number Tag No
 206857B5 644711

Quantity PCS Wt LBS
 96.00 SFT 2 44

2) Our Order PEC- 41399- 2 Your PO # 36008

ALUMINUM PLATE 7075-T651

.375" THICK X 8.0000" X 144.0000"

Heat Number Tag No
 205967B3 688071

Quantity PCS Wt LBS
 8.03 SFT 1 44

TOTAL: Tags 2 PCS 3 LBS 88

**** ADD ON TO 41343 SUR-CHARGE ADDED ****

MILL TEST REPORTS, PACKING SLIPS ARE TO SENT
 WITH MATERIAL AND FAXED TO THE CUSTOMER PRIOR
 TO SHIPPING.

ATTN: CHANTAL/LINDA

** ALL PACKING SLIPS MUST HAVE THE HEAT NUMBER **

** REFERENCED ON IT **

TOTAL 1 BDL, 1 SKID GW. 335 LBS

*CUSTOMER PICK-UP HRS AT THYSSENKRUPP MATERIALS NA
 CONCORD, ONT.* *** 9:00 AM TO 4:00 PM ***

Page: 1Continued

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
 RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
 MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION
 TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

DATE

B I L L O F L A D I N G

No: PEC 43009

Ship From:
THYSSENKRUPP MATERIALS NA
2821 LANGSTAFF ROAD
CONCORD, ONTARIO L4K 5C6
Tel: 905 669 9444 Fax: 905-738-9033

Ship Date 01May17 at 11:03 From PFW
Probill
Via VIM DELIVERY
FOB CONCORD
Frt PREPAID
Route 0- 0 Manifest
Vhcle Trailer
Slp STAN IVERS (905-532-1350)
Sold To: (20115)
DART AEROSPACE

Ship To: (1)
DART AEROSPACE

B I L L O F L A D I N G

**** TEL. 800-926-2600 ****

* WE STOCK STAINLESS STEEL *

* PLEASE LET US QUOTE YOUR NEXT REQUIREMENT *

***PLEASE NOTE A \$25.00 ENERGY SURCHARGE WILL BE
ADDED TO EVERY ORDER.***

***UNE SURCHARGE D'ENERGIE DE \$25.00

SERA AJOUTEE A CHAQUE COMMANDE.***

***POUR VOS BESOINS D'ACIER INOXYDABLE,

CONTACTEZ-NOUS. NOUS L'AVONS! TEL. 800-926-2600

Page: 2 Last

ALUMINUM / ALUMIN - CUIVRE - PLASTIQUE - ACIER INOX
ALUMINUM - BRASS - COPPER - PLASTICS - STAINLESS

TOUTES ERREURS ET/OU MARCHANDISES MANQUANTES DOIVENT ÊTRE
RAPPORTÉES IMMÉDIATEMENT.

ERRORS OR SHORTAGE MUST BE REPORTED IMMEDIATELY

RETOUR DE MARCHANDISES AVEC NOTRE NUMERO D'APPROBATION SEULEMENT.
MERCHANDISE MAY NOT BE RETURNED WITHOUT OUR APPROVAL NUMBER.

REÇU EN BONNE CONDITIONS / RECEIVED IN GOOD CONDITION

DATE

TVQ/QST# 1017327981 TQ001 TPS/GST TVH/HST # 140223934 RT0001

SHIP TO: YARDE METALS-SOUTHINGTON 189 NEWELL STREET SOUTHINGTON, CT 06489
SOLD TO: YARDE METALS 45 NEWELL ST. SOUTHINGTON, CT 06489

KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number

4447496

CUSTOMER PO NUMBER: P61208HC001-1	WORK PACKAGE:	CUSTOMER PART NUMBER:	SHIP RUN/LOAD: 103800/8	GOVT CONTRACT NUMBER:
KAISER ORDER NO: 1227441-1	SHIP DATE: 12-JAN-2017	ALLOY: 2024	CLAD: BARE	TEMPER: T3
WEIGHT SHIPPED: 3720 LB	QUANTITY: 1 PCS EST	TRUCK B/L #: 2064604	GUAGE: 0.0320 IN (0.8128 MM)	DIAMETER/WIDTH: 48.000 IN (1219.2 MM)
PRODUCT DESCRIPTION: HT Coil				
LENGTH: COIL				

MHU 2078137: LOT 20685785: 1 pieces;

Certified Specifications

AMS 4037/RevQ
CMMP 019/RevD

AMS-QQ-A-250/4/RevB
CMMP 025/RevV

ASTM B 209/Rev14

Test Code: 1504

Lot: 20685785 Cast 342

Drop 59

Test Results

Ingot 2

Melted in USA

(ASTM E8/B557)

(EN 2002-1)

Tensile:	Temper	Dir / # Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T3	LT / 2 (Min:Max)	66.8 : 67.6 (461 : 466)	46.0 : 47.3 (317 : 326)	15.3 : 16.6

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual(wt%)	0.08	0.13	4.6	0.62	1.3	0.01	0.08	0.02	0.01	0.01	TOT 0.05

ALLOY LIMITS

	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
2024												
MIN(wt%)	0.00	0.00	3.8	0.30	1.2	0.00	0.00	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.50	0.50	4.9	0.9	1.8	0.10	0.25	0.15	0.05	0.05	TOT	0.15

Aluminum Remainder

Page 1 of 2

YARDE METALS Inc 03-10-17

S70309CM007-1 COPPER & BRASS PO: 5400343418-R01 Part #:
121.00PC 2624.00LB

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS CA LTD

Del.: 2405170715

CstAr

CstOr 282940

Wgt.: 44.237 LB

Date 04/20/2017

Thomas Sanchez




Trentwood Works - Spokane, WA 99215
Phone: (800) 367-2586

CERTIFIED TEST REPORT

Serial Number
4447496

YARDE METALS, INC. CERTIFIES THAT
THIS IS A TRUE COPY OF THE ORIGINAL
MILL TEST REPORT NOW ON FILE.
RECEIVED AND INSPECTED

JAN 19 2017


BY 
Kate Vincent, Certification Processor

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order:

- * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.
- * All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture.
- * was melted in the United States of America or a qualifying country per (DFARS 225.672-1(a)), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content.
- * has been thermally processed in compliance with AMS 2772, where applicable.
- * is mercury free, within the limits of detection of ASTM E1215 (<1ppm).
- * is in compliance with RoHS 2, European Union Directive 2011/65/EU.
- * is in compliance with European Chemical Agency, ECHA, REACH regulations, IECI No 1807/2006, and Kaiser regularly monitors these regulations for updates.
- * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act.
- * is free of weld repairs.
- * meets the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.



JAMES HEMENWAY, TECHNICAL PROCESS MANAGER

Page 2 of 2

YARDE METALS Inc 03-10-17

S70309CM007-1 COPPER & BRASS PO: 5400343418-R01 Part #:
121.00PC 2624.00LB

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS CA LTD

CstAr

Wgt.: 44.237 LB

Del.: 2405170715

CstOr 282940

Date 04/20/2017



KAISER ALUMINUM FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT
http://Online.KaiserAluminum.com

Kaiser Aluminum
Trentwood Works
Spokane, WA 99215-5108
(800) 367-2586

CUSTOMER PO NUMBER: 540033344-50		WORK PACKAGE:	CUSTOMER PART NUMBER: ALFLR00984-60.5	PRODUCT DESCRIPTION: Sawed Plate	
KAISER ORDER NUMBER: 1228334	LINE ITEM: 5	SHIP DATE: 01/20/2017	ALLOY: 7075	CLAD: BARE	TEMPER: T651
WEIGHT SHIPPED: 4518 LB	QUANTITY: 13 PCS EST.	B/L NUMBER: 2064757	GUAGE: 0.3750 IN	WIDTH: 60.500 IN	LENGTH: 144.500 IN
SHIP TO: COPPER & BRASS 1015 SAINT JEROME ST. MISHAWAKA, IN 46544 US			SOLD TO: COPPER & BRASS SALES ATTN: ACCOUNTS PAYABLE P.O. Box 5116 SOUTHFIELD, MI 48086 US		

MHU 2077699: LOT 205967B3: 13 pieces

Certified Specifications

AMS 4045/RevL AMS-QQ-A-250/12/RevA ASTM B 209/Rev14

Test Code: 1512

Test Results:

LOT: 205967B3 CAST: 351 DROP: 19 INGOT: 1

Melted in USA
(ASTM E8/B557)
(EN 2002-1)

Tensile:	Temper	Dir/#Tests	Ultimate KSI (MPA)	Yield KSI (MPA)	Elongation %
	T651	LT / 02 (Min:Max)	86.1 : 86.2 (594 : 594)	76.7 : 77.1 (529 : 532)	13.0 : 13.0

(ASTM E1251)

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
Actual	0.07	0.15	1.4	0.03	2.6	0.20	5.7	0.03	0.01	0.02	TOT 0.05

Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER
7075	MIN 0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	MAX 0.05
	MAX 0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT 0.15

Aluminum Remainder

Plant Serial: 4448506

Kaiser Order Number: 1228334

Line Item: 5

Page 1 of 2

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS CA LTD

Del.: 2405177446

CstAr

CstOr 282940

Wgt.: 44 LB

Date 04/25/2017

Thomas Sanchez

KAISER
ALUMINUM
FABRICATED PRODUCTS

Best in Class

CERTIFIED TEST REPORT

<http://Online.KaiserAluminum.com>

Kaiser Aluminum
Trentwood Works
Spokane, WA 99215-5108
(800) 367-2586

CERTIFICATION

Kaiser Aluminum, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material shipped under this order: * has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein. All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, mechanical properties are as shown herein and chemical composition meets specification requirements. Reported elongation values have been measured as elongation at fracture. * was melted in the United States of America or a qualifying country per DFARS 225.872-1(a), was manufactured in the United States of America, and meets the requirements of DFARS 252.225 for domestic content. * has been thermally processed in compliance with AMS 2772, where applicable. * is mercury free, within the limits of detection of ASTM E1215 (<1ppm). * is in compliance with RoHS 2, European Union Directive 2011/65/EU. * is in compliance with European Chemical Agency, ECHA, REACH regulations, (EC) No 1907/2006, and Kaiser regularly monitors these regulations for updates. * is free of Conflict Minerals, as defined in Section 15.2 of the Dodd-Frank Act. * is free of weld repair. * meets the reporting requirements of EN10204, Type 3.1. Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Test reports are on file, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of false, fictitious or fraudulent statements or entries on the certificate may be punished as a felony under federal law.

JAMES HEMENWAY, LABORATORIES SUPERVISOR

James Hemenway

Plant Serial: 4448506

Kaiser Order Number: 1228334

Line Item: 5

Page 2 of 2

From: ThyssenKrupp Materials NA

Cust. THYSSENKRUPP MATERIALS CA LTD

Del.: 2405177446

CstAr

CstOr 282940

Wgt.: 44 LB

Date 04/25/2017

Thomas Sanchez

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M2024T35.032
 DATE: MAY 04 2017

PO / BATCH NO.: P036008/M137435

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 9659FT
 QUANTITY INSPECTED: 9659FT
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .032
 THICKNESS RECEIVED: .030
 SHEET SIZE ORDERED: 4X12
 SHEET SIZE RECEIVED: 4X12

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(Y) N	
CORRECT REF # TO LINK CERT	(Y) N	<u>ASTM B209</u>
CORRECT MATERIAL IDENTIFICATION	(Y) N	<u>HF # 206857B5</u>
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PERFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: <u>EB</u> DATE: <u>MAY 04 2017</u>	SIGNED OFF BY: _____ DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

MATERIAL RECEIPT INSPECTION FORM

MATERIAL: M707576D0375X8000
 DATE: MAY 04 2017

PO / BATCH NO.: 0036008/M137435

MATERIAL CERT REC'D: yes
 QUANTITY RECEIVED: 12
 QUANTITY INSPECTED: 12
 QUANTITY REJECTED: 0

THICKNESS ORDERED: .375
 THICKNESS RECEIVED: .383
 SHEET SIZE ORDERED: N/A
 SHEET SIZE RECEIVED: N/A

DESCRIPTION	NCR (Check Y/N)	COMMENTS
SURFACE DAMAGE	Y (N)	
CORRECT FINISH	(Y) N	
CORROSION	Y (N)	
CORRECT GRAIN DIRECTION	(Y) N	
CORRECT MATERIAL	(Y) N	
CORRECT THICKNESS	(Y) N	
PHOTO REQUIRED	Y (N)	
CORRECT MATERIAL	(X) N	AMS-QQ-A-250
CORRECT REF # TO LINK CERT	(Y) N	H7 # 205967B3
CORRECT MATERIAL IDENTIFICATION	(Y) N	
CORRECT M# ON THE MATERIAL	(Y) N	
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y (N)	
DOES THIS REQUIRE AN EXTRUSION REPORT	Y (N)	

CUT SAMPLE PIECE OF MATERIAL AND PREFORM A HARDNESS CHECK. RECORD RESULTS BELOW				
TYPE OF MATERIAL	HRC	HRB	DUR A	DUR D
SIZE OF TEST SAMPLE				
HARDNESS / DUROMETER READING				

testers located in the Quality Office

QC 18 INSPECTION

ENGINEERING SIGNOFF (if required)

INSPECTED BY: CB ^{DAS}
 DATE: MAY 04 2017

SIGNED OFF BY: _____
 DATE: _____

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO36008

Purchase Order Date 4/19/2017

PO Print Date 4/19/2017

Page Number 1 of 4

Order From :

VC-COP001

Ship To : DART AEROSPACE LTD

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"
TORONTO, ON M5W 5V8
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

APR 19 2017

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD	Req Qty/ Unit of Measure	PO Unit Price	Extended Price
1	M174R0.750 ✓	17-4 round bar .750 ✓	4/24/2017 Yes 4/24/2017		24.00 ✓ f	\$7.83	\$187.96
17-4PH/S17400/TYPE 630 SS ROUND BAR PER AMS 5643/ASTM A564 GRAIN MUST BE ALONG LENGTH OF BAR. MINIMUM YIELD TENSILE STRENGTH = 100KSI MINIMUM ULTIMATE TENSILE STRENGTH = 150 KSI							
Line Total:							\$187.96
2	M2024T3S.032 ✓	2024-T3 .032 sheet ✓	4/24/2017 Yes 4/24/2017		96.00 ✓ sf	\$3.16	\$303.70
MATERIAL: 2024-T3 ALUMINUM SHEET AS PER QQ-A-250/4 OR AMS-QQ-A-250/4 OR AMS 4037 OR ASTM B209							
Line Total:							\$303.70

PO Instructions: QUOTATION: PEC ST-40905

Note:

4/19/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO36008

Purchase Order Date 4/19/2017

PO Print Date 4/19/2017

Page Number 2 of 4

Order From : VC-COP001
THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD
1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name
Vendor Phone 905 669 9444

Ship To Contact
Ship To Phone
Ship Via: VENDOR'S TRUCK
Ship Acct:

Buyer
Customer POID
Customer Tax # 10127-2607
Terms Net 30
Currency CAD
FOB FCA - (Free Carrier)

3	M304S16GA	304/316 Sheet .063	4/24/2017 Yes 4/24/2017	64.00 sf	\$5.53	\$354.22
---	-----------	--------------------	-------------------------------	-------------	--------	----------

PURCHASE MATERIAL: AISI 304/316 SS SHEET
ANNEALED
SPECIFICATION: MIL-S-5059
OR AMS 5513 (304)
OR AMS 5524 (316)
ORASTMA240
OR ASME SA240

Line Total: \$354.22

4	M6061T6B1.250X04.500	6061-T6 Bar 1.25 X 4.50	4/24/2017 Yes 4/24/2017	12.00 f	\$15.80	\$189.60
---	----------------------	-------------------------	-------------------------------	------------	---------	----------

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total: \$189.60

80174-24

PO Instructions: QUOTATION: PEC ST-40905

Note:

4/19/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO36008

Purchase Order Date 4/19/2017

PO Print Date 4/19/2017

Page Number 3 of 4

Order From :

VC-COP001

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL"A"
TORONTO, ON M5W 5V8
CA

Ship To : DART AEROSPACE LTD

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

VENDOR'S TRUCK

Ship Acct:

Buyer

Chantal Lavoie

Customer POID

Customer Tax #

10127-2607

Terms

Net 30

Currency

CAD

FOB

FCA - (Free Carrier)

5	M6061T6B2.000X02.000	6061-T6 Bar 2.00 x 2.00	4/24/2017	12.00	\$11.20	\$134.40
			Yes	f		
			4/24/2017			

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total:

\$134.40

6	M6061T6B4.500X4.500	6061-T6 Aluminum Bar 4.500" X 4.500"	4/24/2017	4.00	\$79.02	\$316.09
			No	f		
			4/24/2017			

MATERIAL: 6061-T6/T6510/T6511/T62 ALUMINUM BAR
AS PER QQ-A-225/8 OR AMS-QQ-A-225/8 OR AMS 4117/4128/4115/4116
OR QQ-A-200/8 OR AMS-QQ-A-200/8 OR AMS 4160 OR ASTM B211 OR
ASTM B221

Line Total:

\$316.09

PO Instructions: QUOTATION: PEC ST-40905

Note:

4/19/2017



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
Tel: 613 632 9577
Fax: 613 632 1053

PURCHASE ORDER

Purchase Order ID PO36008

Purchase Order Date 4/19/2017

PO Print Date 4/19/2017

Page Number 4 of 4

Order From :

VC-COP001

Ship To : DART AEROSPACE LTD

THYSSENKRUPP MATERIALS CA LTD
O/A VPK METAL- C/O T27540/PO BOX 4275,POSTAL "A"
TORONTO, ON M5W 5V8
CA

1270 ABERDEEN
HAWKESBURY, ON K6A 1K7
CANADA

Contact Name

Vendor Phone

905 669 9444

Ship To Contact

Ship To Phone

Ship Via:

Ship Acct:

VENDOR'S TRUCK

Buyer

Customer POID

Customer Tax #

Terms

Currency

FOB

Chantal Lavoie

10127-2607

Net 30

CAD

FCA - (Free Carrier)

7	M7075T6B0.375X8.000	7075-T6 Plate 0.375" X 8.000", QQ-A 250/12	4/26/2017	FN	12.00	30.21	362.50
---	---------------------	--	-----------	----	-------	-------	--------

Yes

4/26/2017

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR
AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR
PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

8817-5-4

Line Total: \$362.50

8	71401-45	PROCUREMENT QUALITY CLAUSES	4/24/2017		1.00	\$0.00	\$0.00
---	----------	-----------------------------	-----------	--	------	--------	--------

No

4/24/2017

Procurement Quality Clauses
A005 right of entry
A012 chemical and physical test report
A016 personnel qualification
A017 raw material identification (as applicable)
A026 certification of material conformance
A041 quality management system
A042 dart notification by supplier
A043 retention of quality documents

8817-4-24

Line Total: \$0.00

PO Total: \$1,848.47

PO Instructions: QUOTATION: PEC ST-40905

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr: 2

Change Date: 4/19/2017